

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1. (Currently Amended): Crystallized glass which can be redrawn and is formed by precipitating  $\beta$ -spodumene solid solution or  $\beta$ -quartz solid solution, and having a composition containing, by mass percent, 55-72%  $\text{SiO}_2$ , 14-30%  $\text{Al}_2\text{O}_3$ , 2.9-6.0%  $\text{Li}_2\text{O}$ , and 1.0-10.0%  $\text{K}_2\text{O}$ , 1.0-5.0%  $\text{TiO}_2$ , 0-4.0%  $\text{ZrO}_2$ , 2.0-9.0%  $\text{TiO}_2+\text{ZrO}_2$ , 0-10.0%  $\text{ZnO}$ , 0-2.5%  $\text{MgO}$ , 0-4.0%  $\text{CaO}$ , 0-6.0%  $\text{BaO}$ , 0-7.0%  $\text{B}_2\text{O}_3$ , 0-4.0%  $\text{Na}_2\text{O}$ , and 0-8.0%  $\text{P}_2\text{O}_5$ , wherein a mass ratio between  $\text{Li}_2\text{O}$  and  $\text{K}_2\text{O}$  ( $\text{Li}_2\text{O}/\text{K}_2\text{O}$ ) is 2.2 or less.

Claim 2 (canceled).

Claim 3 (Original): Crystallized glass according to claim 1, containing, by mass percent, 55-72%  $\text{SiO}_2$ , 14-30%  $\text{Al}_2\text{O}_3$ , 4.1-6.0%  $\text{Li}_2\text{O}$ , 1.0-10.0%  $\text{K}_2\text{O}$ , 1.0-5.0%  $\text{TiO}_2$ , 0.1-3.0%  $\text{SnO}_2$ , 0-4.0%  $\text{ZrO}_2$ , 2.0-9.0%  $\text{TiO}_2+\text{ZrO}_2$ , 0-10.0%  $\text{ZnO}$ , 0-2.5%  $\text{MgO}$ , 0-4.0%  $\text{CaO}$ , 0-6.0%  $\text{BaO}$ , 0-7.0%  $\text{B}_2\text{O}_3$ , 0-4.0%  $\text{Na}_2\text{O}$ , and 0-8.0%  $\text{P}_2\text{O}_5$ .

Claim 4 (Original): Crystallized glass according to claim 1, wherein a grain size of a precipitated crystal is 10 $\mu\text{m}$  or less.

Claim 5 (Original): Crystallized glass according to claim 1, wherein a ratio of a glass phase is 10-85vol%.

Claim 6 (Original): Crystallized glass according to claim 1, wherein a softening point is lower than a melting point of a predominant precipitated crystal.

Claim 7 (Original): Crystallized glass according to claim 1, wherein crystallization is substantially prevented from progressing even when heated at a temperature equal to or higher than a softening point.

Claim 8 (Original): A crystallized glass article obtained by redrawing the crystallized glass according to claim 1.

Claim 9 (Currently amended): Crystallized glass according to claim 1, [~~formed by precipitating  $\beta$ -spodumene solid solution or  $\beta$ -quartz solid solution, and containing, by mass percent, 55-72%  $\text{SiO}_2$ , 14-30%  $\text{Al}_2\text{O}_3$ , 2.9-6.0%  $\text{Li}_2\text{O}$ , and 1.0-10.0%  $\text{K}_2\text{O}$ ,~~] wherein a temperature at which a viscosity of a mother glass becomes  $10^4\text{Pa}\cdot\text{s}$  is 1330°C or less.

Claim 10. (New) Crystallized glass according to claim 1 containing, by mass percent, 1.5-4.0%  $\text{TiO}_2$ .